EPIDEMIOLOGY AND INFECTION

FORMERLY THE JOURNAL OF HYGIENE

EDITED BY

J. R. PATTISON

J. G. CRUICKSHANK C. R. MADELEY W. C. NOBLE

P. MORGAN-CAPNER
(ASSISTANT EDITOR)

IN CONJUNCTION WITH

M. J. ANDERSON
R. M. ANDERSON
R. D. BARRY
D. BAXBY
P. S. BRACHMAN
M. DEGRÉ
S. M. FEINSTONE
R. G. FINCH
R. J. GILBERT
P. D. GRIFFITHS
ANNA HAMBRAEUS
M. H. HINTON
J. C. DE JONG
J. B. KURTZ
M. J. LEWIS
D. H. LLOYD
R. R. MARPLES
O. H. MEURMAN
P. P. MORTIMER
J. NAIDOO
J. S. OXFORD
B. ROWE
M. B. SKIRROW
R. S. TEDDER
H. E. TILLETT
R. VAN DER WAAIJ
P. J. WILKINSON
A. T. WILLIS

VOLUME 101, 1988


The right of the University of Cambridge to print and sell all manner of books was granted by Henry VIII in 1534. The University has printed and published continuously since 1584.

CAMBRIDGE UNIVERSITY PRESS

Cambridge

New York New Rochelle Melbourne Sydney

Published by the Press Syndicate of the University of Cambridge
The Pitt Building, Trumpington Street, Cambridge CB2 1RP
32 East 57th Street, New York, NY 10022, USA
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© Cambridge University Press 1988

Printed in Great Britain by the University Press, Cambridge

Contents

No. 1 (AUGUST 1988)

SPECIAL ARTICLE. NOKES, D. J. and ANDERSON, R. M. The use of mathematical models in the epidemiological study of infectious diseases and in the design of mass immunization programmes 1

PETHER, J. V. S., LIGHTFOOT, N. F., SCOTT, R. J. D., MORGAN, J., STEELE-PERKINS, A. P. and SHEARD, S. C. Carriage of *Neisseria meningitidis*: investigations in a military establishment 21

EDWARDS, A. T., ROULSON, M. and IRONSIDE, M. J. A milk-borne outbreak of serious infection due to *Streptococcus zooepidemicus* (Lancefield Group C) . . . 43

GREENWOOD, M. H. and HOOPER, W. L. The use of alkalinity and incubation at 9 °C for improved recovery of *Yersinia* spp. from faeces 53

PHILLIPS, A. P., MORRIS, B. C., HALL, D., GLENISTER, M. and WILLIAMS, J. E. Identification of encapsulated and non-encapsulated *Yersinia pestis* by immunofluorescence tests using polyclonal and monoclonal antibodies . . 59

CHAPMAN, P. A., RHODES, P. and RYLANDS, W. *Salmonella typhimurium* phage type 141 infections in Sheffield during 1984 and 1985: association with hens' eggs . . 75

MORGAN, G. M., NEWMAN, C., PALMER, S. R., ALLEN, J. B., SHEPHERD, W., RAMPLING, A. M., WARREN, R. E., GROSS, R. J., SCOTLAND, S. M. and SMITH, H. R. First recognized community outbreak of haemorrhagic colitis due to verotoxin-producing *Escherichia coli* O 157.H7 in the UK 83

KWAGA, J. K. P., UMOH, J. U. and ODOBA, M. B. *Cryptosporidium* infections in humans with gastroenteritis in Zaria, Nigeria 93

DEIGHTON, M. A., FRANKLIN, J. C., SPICER, W. J. and BALKAU, B. Species identification, antibiotic sensitivity and slime production of coagulase-negative staphylococci isolated from clinical specimens 99

REILLY, W. J., FORBES, G. I., SHARP, J. C. M., OBOEGBULEM, S. I., COLLIER, P. W. and PATERSON, G. M. Poultry-borne salmonellosis in Scotland 115

CRAVIOTO, A., REYES, R. E., ORTEGA, R., FERNÁNDEZ, G., HERNÁNDEZ, R. and LOPEZ, D. Prospective study of diarrhoeal disease in a cohort of rural Mexican children: incidence and isolated pathogens during the first two years of life . 123

HEINZE, J. E. and YACKOVICH, F. Washing with contaminated bar soap is unlikely to transfer bacteria 135

DAS, A. M., PARANJAPE, V. L. and PITT, T. L. *Serratia marcescens* infection associated with early abortion in cows and buffaloes 143

ABECK, D., JOHNSON, A. P. and TAYLOR-ROBINSON, D. Antigenic analysis of *Haemophilus ducreyi* by Western blotting 151

BURGESS, P. J., FINE, P. E. M., PONNIGHAUS, J. M. and DRAPER, C. Serological tests in leprosy. The sensitivity, specificity and predictive value of ELISA tests based on phenolic glycolipid antigens, and the implications for their use in epidemiological studies 159

HARESNAPE, J. M., WILKINSON, P. J. and MELLOR, P. S. Isolation of African swine fever

virus from ticks of the *Ornithodoros moubata* complex (Ixodoidea: Argasidae) collected within the African swine fever enzootic area of Malawi . . . 173

KANGRO, H. O., WARD, A., ARGENT, S., HEATH, R. B., CRADOCK-WATSON, J. E. and RIDEHALGH, M. K. S. Detection of specific IgM in varicella and herpes zoster by antibody-capture radioimmunoassay 187

No. 2 (OCTOBER 1988)

Notice to Contributors – Change of Style

SPECIAL ARTICLE. MORTIMER, P. P. and PARRY, J. V. The use of saliva for viral diagnosis and screening 197

BURNIE, J. P. and LEE, W. A comparison of DNA and immunoblot fingerprinting of the SII biotype of coagulase negative staphylococci 203

NISHIKAWA, Y. and KISHI, T. Isolation and characterization of motile *Aeromonas* from human, food and environmental specimens 213

YATES, M. D. and GRANGE, J. M. Incidence and nature of human tuberculosis due to bovine tubercle bacilli in South-East England: 1977–1987 225

MAHMOOD, K. H., STANFORD, J. L., MACHIN, S., WATTS, M., STUART, F. A. and PRITCHARD, D. G. The haematological values of European badgers (*Meles meles*) in health and in the course of tuberculosis infection 231

CHAPMAN, P. A. and MITCHELMORE, D. L. A two-year survey of the incidence of heat-labile enterotoxin-producing *Escherichia coli* and other enteric pathogens in travellers returning to the Sheffield area 239

CARTWRIGHT, K. A. V. and EVANS, B. G. Salmon as a food-poisoning vehicle – two successive salmonella outbreaks 249

WHELAN, C. D., MONAGHAN, P., GIRDWOOD, R. W. A. and FRICKER, C. R. The significance of wild birds (*Larus* sp.) in the epidemiology of campylobacter infections in humans 259

TOMPKINS, D. S., WYATT, J. I., RATHBONE, B. J. and WEST, A. P. The characerization and pathological significance of gastric campylobacter-like organisms in the ferret: a model for chronic gastritis? 269

ARIMI, S. M., FRICKER, C. R. and PARK, R. W. A. Occurrence of 'thermophilic' campylobacters in sewage and their removal by treatment processes . . . 279

MAWER, S. L. Campylobacters in man and the environment in Hull and East Yorkshire 287

MAWER, S. L. The pathogenicity of environmental campylobacters – a human volunteer experiment 295

LAW, M. R., GILL, O. N. and TURNER, A. Methicillin-resistant *Staphylococcus aureus*: associated morbidity and effectiveness of control measures 301

TAMURA, K., SAKAZAKI, R., KURAMOCHI, S. and NAKAMURA, A. Occurrence of H-antigen z_{66} of R phase in cultures of *Salmonella* serovar typhi originated from Indonesia 311

GRASSO, G. M., D'ERRICO, M. M., SCHIOPPA, F., ROMANO, F. and MONTANARO, D. Use of colistin and sorbitol for better isolation of *Serratia marcescens* in clinical samples 315

HUBÁLEK, Z. and HALOUZKA, J. Thermal sensitivity of *Clostridium botulinum* type C toxin 321

KLEANTHOUS, H., FRY, N. K., SMITH, H. R., GROSS, R. J. and ROWE, B. The use of sorbitol-MacConkey agar in conjunction with a specific antiserum for the detection of Vero cytotoxin-producing strains of *Escherichia coli* O 157 327

MATTILA, T., FROST, A. J. and O'BOYLE, D. The growth of salmonella in rumen fluid from cattle at slaughter 337

GRAY, B. M., PRITCHARD, D. G., SPRINGFIELD, J. D., BENAK, R. J. and DILLON JR., H. C. Seroepidemiology of group B streptococcus type II antibody specificity 347

MELO CRISTINO, J. A. G., CARVALHO, M. I. P. and SALGADO, M. J. An outbreak of cryptosporidiosis in a hospital day-care centre 355

TILLETT, H. E., WRIGHT, A. E. and EATON, S. Water quality control trials: statistical tables for direct comparison between membrane filtration bacterial counts and the multiple tube method with a description of the bacteriological method . . 361

TEBBUTT, G. M. Laboratory evaluation of disposable and reusable disinfectant cloths for cleaning food contact surfaces 367

LIND, K. and BENTZON, M. W. Changes in the epidemiological pattern of *Mycoplasma pneumoniae* infections in Denmark. A 30 years survey 377

WREGHITT, T. G., ROBINSON, V. J., CAUL, E. O., PAUL, I. D. and GATLEY, S. The development and evaluation of a μ-capture ELISA detecting chlamydia-specific IgM 387

HOBSON, D. and MORGAN-CAPNER, P. Chlamydial antibodies in farmers in north-west England 397

LAU, R. C. H. Antibody level of New Zealand children immunized with the tripe vaccine DTP (diphtheria–tetanus–pertussis) 405

HANSMAN, D. and MORRIS, S. Pneumococcal carriage amongst children in Adelaide, South Australia 411

REID, T. M. S., GOULD, I. M., MACKIE, I. M., RITCHIE, A. H. and HOBBS, G. Food poisoning due to the consumption of red whelks (*Neptunea antiqua*) 419

SPENCER, E., ARAYA, M.. SANDINO, A. M., PACHECO, I. and BRUNSER, O. Faecal excretion of rotavirus and other enteropathogens in newborns of the high and low socio-economic stratum in Santiago, Chile 425

MIRCHAMSY, H., SHAFYI, A., NAZARI, P., ASHTIANI, M. P. and SASSANI, A. Evaluation of live attenuated measles vaccines prepared in human diploid cells for reimmunization 437

WILLCOCKS, M. M., CARTER, M. J., LAIDLER, F. R. and MADELEY, C. R. Restriction enzyme analysis of faecal adenoviruses in Newcastle upon Type 445

GLASS, G. E., CHILDS, J. E., KORCH, G. W. and LEDUC, J. W. Association of intraspecific wounding with hantaviral infection in wild rats (*Rattus norvegicus*) 459

JENKS, P. J., CAUL, E. O. and ROOME, A. P. C. H. Maternally derived measles immunity in children of naturally infected and vaccinated mothers 473

BLACK, L. and FRANCIS, M. J. Potential allergens in oil emulsion foot-and-mouth disease vaccines for pigs 477

HUMPHREY, T. J., MEAD, G. C. and ROWE, B. Erratum. Poultry meat as a source of human salmonellosis in England and Wales 481

Notes for Contributors

No. 3 (DECEMBER 1988)

TAYLOR, D. L., TAYLOR-ROBINSON, D., JEFFRIES, D. J. and TYMS, A. S. Characterization of cytomegalovirus isolates from patients with AIDS by DNA restriction analysis 483

EL-MEKKI, A., DEVERAJAN, L. V., SOUFI, S., STRANNEGARD, O. and AL-NAKIB, W. Specific and non-specific serological markers in the screening for congenital CMV infection 495

ADRIAN, T., SCHÄFER, G., COONEY, M. K., FOX, J. P. and WIGAND, R. Persistent enteral infections with adenovirus types 1 and 2 in infants: no evidence of reinfection 503

SELLERS, R. F. and MAAROUF, A. R. Impact of climate on western equine encephalitis in Manitoba, Minnesota and North Dakota, 1980–1983 511

STEELE, K., SHIRODARIA, P. V., PFISTER, H., POLLOCK, B., FUCHS, P., MERRETT, J. D., IRWIN, W. G. and SIMPSON, D. I. H. A study of HPV 1, 2 and 4 antibody prevalence in patients presenting for treatment with cutaneous warts to general practitioners in N. Ireland 537

WILKINSON, P. J., PEGRAM, R. G., PERRY, B. D., LEMCHE, J. and SCHELS, H. F. The distribution of African swine fever virus isolated from *Ornithodoros moubata* in Zambia 547

LESCHINSKAYA, N. P., POKROVSKAYA, E. E., KANTOROVITCH, E. A., GRIGORJEVA, S. K. and SHVARTSMAN, YA. S. Ontogenesis of the formation of secretory antibodies to respiratory syncytial (RS) virus 565

SAMUEL, A. R., KNOWLES, N. J. and KITCHING, R. P. Serological and biochemical analysis of some recent type A foot-and-mouth disease virus isolates from the Middle East 577

THOMAS, H. I. J. and MORGAN-CAPNER, P. Rubella-specific IgG subclass avidity ELISA and its role in the differentiation between primary rubella and rubella reinfection 591

THOMAS, H. I. J. and MORGAN-CAPNER, P. Rubella-specific IgG subclass concentrations in sera using an enzyme-linked immunosorbent assay (ELISA): the effect of different sources of rubella antigen 599

TRIVELLO, R., RENZULLI, G., FARISANO, G., BONELLO, C., MOSCHEN, M., GASPARINI, V. and BENUSSI, G. Persistence of poliovirus-neutralizing antibodies 2–16 years after immunization with live attenuated vaccine. A seroepidemiologic survey in the mainland of Venice 605

TANNOCK, G. A., GILLETT, S. M., GILLETT, R. S., BARRY, R. D., HENSLEY, M. J., HERD, R., REID, A. L. A. and SAUNDERS, N. A. A study of intranasally administered interferon A* (rIFN-α2A) for the seasonal prophylaxis of natural viral infections of the upper respiratory tract in healthy volunteers 611

LAW, M. R. and GILL, O. N. Hospital-acquired infection with methicillin-resistant and methicillin-sensitive staphylococci 623

YAMASHITA, T., SAKAE, K., ISHIHARA, Y., ISOMURA, S. and INOUE, H. Virucidal effect of chlorinated water containing cyanuric acid 631

BARNHAM, M. Pig bite injuries and infection: report of seven human cases . . 641

RUF, B., SCHÜRMANN, D., HORBACH, I., SEIDEL, K. and POHLE, H. D. Nosocomial legionella pneumonia: demonstration of potable water as the source of infection 647

WEINKE, TH., UEBERREITER, K. and ALEXANDER, M. Cardiac morbidity due to Chagas' disease in a rural community in Bolivia 655

COLLIER, P. W., SHARP, J. C. M., MACLEOD, A. F., FORBES, G. I. and MACKAY, F. Food poisoning in hospitals in Scotland, 1978–87 661

KOK, T. W., VARKANIS, G., MARMION, B. P., MARTIN, J. and ESTERMAN, A. Laboratory diagnosis of *Mycoplasma pneumoniae* infection. 1. Direct detection of antigen in respiratory exudates by enzyme immunoassay 669

HARRIS, R., MARMION, B. P., VARKANIS, G., KOK, T., LUNN, B. and MARTIN, J. Laboratory diagnosis of *Mycoplasma pneumoniae* infection. 2. Comparison of methods for the direct detection of specific antigen or nucleic acid sequences in respiratory exudates 685

Notes for Contributors